

La Société Canadienne de Perfusion Clinique cscp.ca

NATIONAL CERTIFICATION EXAM Candidate Manual



| | TABLE OF CONTENTS | PAGE |
|--|------------------------|------|
| GENERAL INFORMATION: PURPOSE OF CSCP NATIONAL | EXAMINATION | 3 |
| THE ACE COMMITTEE | | 3 |
| EXAM INFORMATION: | | 3 |
| GENERAL INFORMATION | | 3 |
| ELIGIBILITY | | 3 |
| APPLICATION PROCESS | | 4 |
| EXAMINATION LOCATION | | 4 |
| EXAMINATION DELIVERY | | 4 |
| INSTRUCTIONS FOR CANDIDA | ΓES | 4 |
| RESULTS DELIVERY | | 5 |
| EXAMINATION PILOT QUESTIC | ONS | 6 |
| EXAMINATION SAMPLE QUES | TIONS | 6 |
| CSCP POLICY AND PROCEDURES: | | 7 |
| ACADEMIC DISHONESTY | | 7 |
| ACCOMMODATION FOR SPECI | AL NEEDS | 8 |
| SPECIAL ACCOMMODATION A | PPLICATION FORM | 9 |
| REFERENCE RANGES, CALCULATIONS, | TERMS: | 10 |
| BLOOD GASES AND BLOOD CH | EMISTRY | 10 |
| ENZYMES, COAGULATION HEN | MATOLOGY, HEMODYNAMICS | 11 |
| PHYSIOLOGIC CALCULATIONS, | FORMULAS | 12 |
| ABBREVIATIONS AND SYMBOL | S | 13 |



GENERAL INFORMATION:

PURPOSE OF CSCP NATIONAL EXAMINATION

- Accredited and standardized testing that helps ensure competency of each perfusionist that wishes to practice within Canada.
- Highlights knowledge gaps which are then conveyed to the educational programs in order to update curriculum as demographics and clinical practice continue to evolve.

THE ACE COMMITTEE

- Accreditation, Competency and Examination Committee
- Five or six CSCP certified members representing both pediatric and adult clinical perfusion practice from all regions across Canada.
- Responsible for:
 - o Producing, invigilating and scoring the examination
 - Updating references cited for examination questions
 - Managing the examination question bank
 - o Ensuring regulatory standards are upheld
 - Maintaining the integrity and standardization of the perfusion community within Canada

EXAMINATION INFORMATION:

GENERAL INFORMATION

- Applications will only be accepted for the current examination year.
- Application deadline is July 1st of the year a candidate plans on challenging the examination. *Applications sent after July 1st will not be accepted. No exceptions.*
- Should a candidate choose to cancel their registration for an examination, they must do so 30 days prior to the examination date. Where extenuating circumstances apply, a candidate may cancel their registration for an examination within 30 days of the examination date; a \$200.00 CAD administrative fee will apply.
- All requests or questions must be sent in writing to the CSCP National Office: info@cscp.ca

ELIGIBILITY

- All applicants must have graduated from an accredited perfusion program.
- All applicants must be associate members in good standing of the CSCP.
- Full detailed eligibility criteria can be found at www.cscp.ca



APPLICATION PROCESS

- Application process is available on the CSCP website. Official transcripts from the educational program where they completed their perfusion education for an application to be complete.
- If a candidate's transcripts are not yet available when submitting their application, the candidate MUST submit an official letter from the educational program stating their successful completion of the program. Official transcripts must be submitted as soon as they become available and must be submitted by a September 30 deadline or the candidate will not be eligible to write the examination.
- Candidates are responsible for the accurate completion of their CSCP application form. Should a candidate's personal information change after submitting the application form to the CSCP, the candidate must notify the CSCP immediately. If a candidate fails to comply, the CSCP will not be responsible for any communications not received by the candidate.
- Once the application is accepted by the CSCP the candidate's information, including name, address, email is shared with ProctorU/Measure so they can create a profile and book the candidates test location.

EXAMINATION DELIVERY

- The examination will be administered online via ProctorU/Measure in testing centers near the candidate's home, as it is identified on their application.
- The exam will be in late October/early November. The exact date confirmed by August 1st.
- ProctorU/Measure is responsible for booking and communicating exam locations/start times with candidates.
- Information regarding accessing the testing center will be communicated by ProctorU/Measure.
- Some travel may be required, pending availability of local partnered testing centers. Candidates are responsible for costs associated with all travel.
- It is recommended that each candidate confirms their booking with the specific test center the week before the exam to ensure the correct start time and any specific rules that center has.

INSTRUCTIONS FOR CANDIDATES

- The examination consists of 175 multiple choice questions. Both individual patient and case-based patient questions will be asked.
- Each candidate will have 4 hours to complete the examination.
- No breaks will be scheduled during the examination. Candidates are allowed to step away from the exam for health breaks (ie washroom/snack) but their time does not stop during these breaks.
- The examination is available in both French and English. All candidates will have access to both languages.
- Candidates are expected to be at the examination location 20 minutes prior to the examination start time (or longer if it is required by the individual testing site, which will be communicated by ProctorU)



- Government issued photo ID is required to sign into the examination.
- If a candidate is less than 30 minutes late, they will be allowed to proceed with the exam, but no extra time will be allotted to make up for their tardiness.
- If a candidate is more than 30 minutes late, they forfeit their seat and are no longer eligible to write the examination. No reimbursements will be given to a candidate who is late.
- The exact examination location and time will be articulated to all eligible candidates well in advance of the examination date.
- All personal belongings will be secured by the testing site. Electronic devices are prohibited during the examination and must be powered off and stored away with other belongings. (Including, but not limited to, smart watches, cellphones, tablets, programable calculators...etc)
- Snacks are permitted during the examination, if allowed at the testing center. Candidates are responsible for checking the policies of the testing center to which they are assigned.
- Only basic function calculators are allowed. Programmable calculators are not permitted. If the
 candidate does not bring their own basic function calculator, one is available online within the
 exam platform.
- Paper and Pen or an erasable whiteboard are permitted to take notes during the exam. The staff of the center will confiscate the notes and ensure the whiteboard is clean prior to allowing the candidate to leave the testing center.
- Washroom breaks will be permitted as needed on an individual basis. The security of these
 breaks is monitored by the testing center staff. Candidates will not have access to their
 belongings during breaks. No additional time beyond the 4 hours will be allotted to those who
 require washroom breaks.
- Candidates are asked to fill in an evaluation form upon completion of the examination. These forms provide valuable feedback that is utilized to improve the examination and experience. Additional time will be provided at the end of the examination to complete the evaluation.
- Candidates are expected to adhere to the principles of intellectual and academic honesty during the examination.

EXAM PREPARATION

- Candidates should review the exam blueprint, competency profile and reference list when preparing for the exam.
- All content in the reference list is testable.
- Relying on notes from school lectures is not sufficient preparation.

RESULTS DELIVERY

- All candidates will receive their results by email within 30 days of writing the examination.
 Results will also subsequently be sent by registered mail.
- Results will state whether a candidate passed or failed. Candidates who fail will also be
 provided with a performance profile to highlight competencies that the candidate answered
 strongly, as well as the competencies that the candidate answered poorly.



EXAMINATION PILOT QUESTIONS

• Up to 5 questions on each exam are qualified as pilot questions. They are designed to gain statistical information on preparedness on certain topics. Following statistical analysis of the exam results, these questions may or may not be counted towards the overall score.

EXAMINATION SAMPLE QUESTIONS

- 1. What are the effects of Milrinone (Primacor)?
 - a. Decreased SVR, increased PVR, decreased CO
 - b. Increased SVR, decreased PVR, increased CO
 - c. Increased SVR, increased PVR, decreased CO
 - d. Decreased SVR, decreased PVR, increased CO

Competency Profile Classification: Planning & Clinical Decision Making 05 (PDM05)

Cognitive Domain Classification: Knowledge/Comprehension (K/C)

Reference: Hensley, 5th Edition, page 44

- 2. A patient who has A negative blood can receive which of the following blood products?
 - a. A negative RBCs, A negative platelets, AB plasma
 - b. A positive RBC's, A positive platelets, AB plasma
 - c. O negative RBC's, AB positive platelets, A plasma
 - d. O positive RBC's, AB negative platelets, A plasma

Competency Profile Classification: Clinical Practice 19(CP19)

Cognitive Domain Classification: Application (AP)

Reference: Canadian Blood Services, Chapter 9: Blood Administration, Table 1 and Table 2.

- 3. The pressure drop across a patient's ECMO oxygenator has increased from 30 mmHg to 150 mmHg over a period of one hour. What is likely to have caused this and what is the recommended solution?
 - a. Hypovolemia; give volume
 - b. Arterial cannula obstruction; reposition cannula
 - c. Clot in the oxygenator; change ECMO circuit
 - d. Shunting; reduce amount of bridge flow

Competency Profile Classification: Clinical Practice 22 (CP22)

Cognitive Domain Classification: Critical Thinking (CT) Reference: ELSO Red Book, 5th Edition, page 71.



CSCP POLICY AND PROCEDURE:

ACADEMIC DISHONESTY

- Copying another candidate's answers.
- Utilizing unauthorized resources; smart gadgets, cheat sheets.

If a candidate is suspected of academic dishonesty, the following procedure will be followed:

- 1. The invigilators will communicate the incident to ACE committee chair overseeing the exam.
- 2. The suspected candidate(s) may or may not be allowed to complete the examination.
 - a. This will depend on the degree of the infraction.
- 3. The suspected candidate(s) will be notified that they have been suspected of academic dishonesty.
- 4. If the academic dishonesty included unauthorized materials, said materials will be confiscated; this includes smart devices.
- 5. The ACE committee chair will fill out a "Notification of Academic Dishonesty Form" and will submit this to the Board of Directors within one day of the incident.
- 6. The Board of Directors will notify the candidate(s), in writing, of the repercussions within fourteen (14) days of receiving notice of the infraction.
- 7. The candidate(s) may appeal this decision to the Board of Directors.



ACCOMMODATION FOR SPECIAL NEEDS

- Candidates with special needs may request special accommodations and arrangements to write the examination. The examination must still be written on the same examination date as all other candidates.
- If a candidate requires accommodation for a physical, cognitive or other special need, they must complete the special accommodation application form (attached below) and submit this form to the CSCP when applying for the exam. All application and request forms **must be submitted to the CSCP by July 1**st of the year the candidate wants to challenge the examination.
 - Requests made after July 1st will not be granted.
- All requests for special accommodations must be supported with written verification of the nature and extent of the candidate's special needs from a licensed regulated health professional.
 - The individual's conditions which require special accommodation does not need to be explained, only what specific accommodations are required as they differ from the exam conditions described above.
- The Board of Directors may request to contact the health professional to confirm or clarify details listed on the form.
- In some cases, documentation from the educational institution that the candidate is attending may be required.
- All special accommodation requests are subject to approval by the CSCP Board of Directors on a case by case basis.
- Candidates will be notified by telephone or email what the Board of Directors has decided. A
 formal letter will follow.
- Subject to review by the CSCP Board of Directors, candidates with approved special accommodations may incur additional charges depending on the nature of the accommodation.
- Criteria taken into account by the CSCP Board of Directors when requests for accommodation are considered include:
 - The needs of the candidate.
 - o Preservation of the integrity of the examination.
 - The ability of the CSCP to provide appropriate resources.
- No accommodation request will be granted which jeopardizes the integrity and/or validity of the examination.





Special Accommodation Application Form

Print or type all information

| Surname | First Name | Middle Initial | |
|----------------------|--|---|---------------------------|
| Mailing Address | | | |
| Apt. # | | City | |
| Province/State | Country | Postal Code/Zip | |
| Phone Number | | Email Address | |
| Please indicate the | school where the candidat | e received their Clinical Perfusion | n Education: |
| this from the school | commodations were provide special accommodation mmodations required: | ded by this educational facility, al office. | so submit confirmation of |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Health care | provider signature | Name(printed) | date |
| Title | Regis | tration/license number | province |
| | Signature of candida | ate Date | 2 |
| SUBMIT TO: C | SCP National Office, 914 A | dirondack Rd. London, ON. N6K | 4W7 <u>info@cscp.ca</u> |



REFERENCE RANGES, CALCULATIONS AND TERMS:

BLOOD GASES

| ADULT BLOOD GAS REFERENCE RANGE | | | | | |
|---------------------------------|----------------|-----------------------------------|--------|--|--|
| Parameter | Arterial Range | Arterial Range Venous Range Units | | | |
| рН | 7.35-7.45 | 7.30-7.40 | | | |
| pCO ₂ | 35-45 | 40-50 | mmHg | | |
| pO ₂ | 80-100 | 35-40 | mmHg | | |
| HCO ₃ - | 22-26 | 22-26 | mmol/L | | |
| Base Excess | -2 to +2 | -2 to +2 | mEq/L | | |
| SO ₂ | 93-97 | 70-75 | % | | |

Reference: "Egan's Fundamentals of Respiratory Care, 9th Ed." Wilkins, Stoller, Kacmarek 2009

BLOOD CHEMISTRY

| ADULT BLOOD CHEMISTRY REFERENCE RANGE | | | |
|---------------------------------------|-----------|---------|--|
| Parameter | Range | Units | |
| Calcium (serum) Total | 2.18-2.58 | mmol/L | |
| Calcium (serum) Ionized | 1.05-1.30 | mmol/L | |
| Chloride | 98-106 | mmol/L | |
| Cholesterol | < 5.2 | mmol/L | |
| LDL | < 3.37 | mmol/L | |
| HDL | > 0.9 | mmol/L | |
| Creatinine (Female) | 50-90 | μmol/L | |
| Creatinine (Male) | 70-120 | μmol/L | |
| Glucose (Fasting) | 3.3-5.8 | mmol | |
| Magnesium | 0.75-0.95 | mmol/L | |
| Osmolarity | 280-300 | mmol/kg | |
| Potassium | 3.5-5.0 | mmol/L | |
| Sodium | 135-145 | mmol/L | |
| Urea Nitrogen (BUN) | 2.5-8.0 | mmol/L | |
| Lactate | 0.5-2.2 | mmol/L | |

Reference: Medical Council of Canada website:

http://apps.mcc.ca/Objectives_Online/objectives.pl?lang=english&loc=values



ENZYMES AND COAGULATION

| ADULT ENZYMES AND COAGULATION REFERENCE RANGE | | | |
|---|---------|------|--|
| Parameter Range Units | | | |
| ALT | 3-36 | U/L | |
| AST | 0-35 | U/L | |
| Troponin (TnT) | < 0.01 | μg/L | |
| International Normalized Ratio (INR) | 0.9-1.2 | | |
| Partial thromboplastin time (PTT) | 28-38 | Sec | |
| Prothrombin Time (PT) | 10-13 | sec | |
| Fibrinogen | 1.8-4.0 | g/L | |

Ref: Medical Council of Canada website:

http://apps.mcc.ca/Objectives Online/objectives.pl?lang=english&loc=values

HEMATOLOGY

| ADULT HEMATOLOGY REFERENCE RANGE | | | | | |
|----------------------------------|-----------|-----------|-----------------------|--|--|
| Parameter Male Female Ur | | | | | |
| Hemoglobin (Hb) | 140-174 | 123-157 | g/L | | |
| Hematocrit (HCT) | 0.42-0.52 | 0.37-0.46 | | | |
| Red Blood Cells (RBC) | 4.4-5.7 | 4.0-5.2 | x 10 ¹² /L | | |
| White Blood Cell Count (WBC) | 4-10 | 4-10 | x 10 ⁹ /L | | |
| Platelet Count (Plt) | 130-400 | 130-400 | x 10 ⁹ /L | | |

Ref: Medical Council of Canada website:

http://apps.mcc.ca/Objectives_Online/objectives.pl?lang=english&loc=values

HEMODYNAMICS

| ADULT HEMODYNAMICS REFERENCE RANGE | | | |
|---|----------|----------------------------|--|
| Parameter | Range | Units | |
| Systolic Arterial Pressure (SBP) | 100-140 | mmHg | |
| Diastolic Arterial Pressure (DBP) | 60-90 | mmHg | |
| Mean Arterial Pressure (MAP) | 65-100 | mmHg | |
| Pulmonary Artery Systolic Pressure (PAS) | 15-30 | mmHg | |
| Pulmonary Artery Diastolic Pressure (PAD) | 4-12 | mmHg | |
| Mean Pulmonary Artery Pressure (MPAP) | 9-16 | mmHg | |
| Pulmonary Capillary Wedge Pressure (PCWP) | 2-12 | mmHg | |
| Central Venous Pressure (CVP) | 0-8 | mmHg | |
| Systemic Vascular Resistance (SVR) | 900-1400 | <u>dyn</u> es·sec·cm⁻⁵ | |
| Pulmonary Vascular Resistance (PVR) | 150-250 | dynes·sec·cm ⁻⁵ | |
| Stoke Volume (SV) | 60-130 | ml/beat | |
| Heart Rate (HR) | 60-100 | bpm | |
| Cardiac Output (CO) or Flow (Q) | 4-8 | LPM | |



| Cardiac Index (CI) | 2.5-4 | L/min/m ² |
|---|---------|----------------------|
| O ₂ Consumption (VO ₂) | 200-300 | ml/min |

PHYSIOLOGIC CALCULATIONS AND FORMULAS

| Parameter | Formula |
|--|--|
| Cardiac Output (L/min) | CO = HR x SV |
| Cardiac Index (L/min/m²) | CI = CO/BSA |
| Mean Arterial Pressure (mmHg) | MAP = DBP + 1/3(SBP-DBP) |
| Systemic Vascular Resistance (mmHg) | SVR = [(MAP-CVP)/CO] x 80 |
| Pulmonary Vascular Resistance (mmHg) | $PVR = [(MPAP-PCWP)/CO] \times 80$ |
| O ₂ Consumption Modified Fick (ml/min) | $VO_2 = (CaO_2 - CvO_2) \times Q$ |
| Stroke Volume (ml) | SV = CO/HR |
| Oxygen Delivery DO ₂ (ml/min) | $DO_2 = CaO_2 \times CO$ |
| Arterial Oxygen Content CaO ₂ (ml/dl) | $CaO_2 = (Hb \times 1.34 \times SaO_2) + (PaO_2 \times 0.003)$ |
| Mixed Venous Oxygen Content CvO ₂ (ml/dl) | $CvO_2 = (Hb \times 1.34 \times SvO_2) + (PvO_2 \times 0.003)$ |
| Cerebral Perfusion Pressure CPP (mmHg) | CPP = MAP - CVP |
| Total Blood Volume TBV | TBV = Patient Weight (kg) x Blood Volume Factor |
| | (ml/kg) |
| Adult Male Blood Volume Factor | 75 ml/kg |
| Adult Female Blood Volume Factor | 70 ml/kg |
| Pediatric Blood Volume Factor | 80 ml/kg |
| Body Surface Area BSA (m²) | BSA = $\sqrt{\text{[(Height(cm) x Weight(kg)) / 3600]}}$ |
| Hematocrit HCT | HCT = RBC / TBV |
| Hematocrit on CPB | CPB HCT = (Patient HCT x TBV) / (TPV+TBV+Pre- |
| | CPB IV fluid) |
| Red Blood Cells Required | RBC Req. = [(TBV +TPV)x(Desired HCT)] – [(TBV x |
| | Patient HCT)] |
| Transmembrane Pressure | TMP=(Pin+Pout)/2+ Negative effluent P |
| 3/16 inch tubing | 5.4 ml/ft |
| 1/4 inch tubing | 9.65 ml/ft |
| 3.8 inch tubing | 21.71 ml/ft |
| 1/2 inch tubing | 38.61 ml/ft |

Ref: Brodie, **The Manual of Clinical Perfusion**, 2nd ed., 1997, Glendale Medical

Gravlee, CPB Principles and Practice, 4th ed., Lippincott, Williams & Wilkins



ABBREVIATIONS AND SYMBOLS

• Any of these abbreviations or symbols may be present in the examination.

| | Α | | | |
|----------------------|--|------------------|---|--|
| а | arterial | AIDS | acquired immunodeficiency | |
| | | | syndrome | |
| Α | alveolar | AP | anterior posterior | |
| ABG | arterial blood gas | ALF | arterial line filter | |
| ACLS | advanced cardiac life support | AR | aortic regurgitation | |
| ACT | activated clotting time | ARDS | adult respiratory distress syndrome | |
| ACS | acute coronary syndrome | AS | aortic stenosis | |
| ADH | antidiuretic hormone | ASD | atrial septal defect | |
| AG | anion gap | ATP | adenosine triphosphate | |
| Al | aortic insufficiency | AV | atrioventricular | |
| AICD | automated implantable cardioverter device | A-V | arterial venous | |
| AVR | aortic valve replacement | ACP | antegrade cerebral perfusion | |
| | В | | | |
| BCLS | basic cardiac life support | BP | blood pressure | |
| BE | base excess | BSA | body surface area | |
| BMI | body mass index | BUN | blood urea nitrogen | |
| | С | | | |
| Ca ⁺⁺ | ionized calcium | COPD | chronic obstructive pulmonary disease | |
| CABG | coronary arterial bypass graft | CPAP | continuous positive airway pressure | |
| CaO ₂ | oxygen content of arterial blood | СРВ | cardiopulmonary bypass | |
| C(a-v)O ₂ | arterial to venous oxygen content difference | CPD | citrate phosphate dextrose | |
| CHF | congestive heart failure | CPP | cerebral perfusion pressure | |
| CI | cardiac index | CPR | cardiopulmonary resuscitation | |
| Cl ⁻ | chloride | CSCP | Canadian Society of Clinical Perfusion | |
| cmH₂0 | centimeters of water pressure | CSF | cerebrospinal fluid | |
| CNS | central nervous system | СТ | computerized tomography | |
| СО | cardiac output | CVA | cerebrovascular accident | |
| CO ₂ | carbon dioxide | CvO ₂ | oxygen content of mixed venous blood | |
| COHb or HbCO | carboxyhemoglobin | CVP | central venous pressure | |
| COP | colloid oncotic pressure | CXR | chest x-ray | |
| CEU | continuing education credits | cm | centimeter | |



| | D | | | |
|--------------------|--|------------------|-------------------------------------|--|
| DEW | | DIC | diagonain at a direture va con da u | |
| D5W | 5% dextrose in water | DIC | disseminated intravascular | |
| DHCA | deep hypothermic circulatory arrest | DO ₂ | coagulation oxygen delivery | |
| DHCA | deep hypothermic circulatory arrest | | oxygen delivery | |
| | Е | | | |
| ECC | extracorporeal circuit | EEG | electroencephalogram | |
| ECG | electrocardiogram | EF | ejection fraction | |
| ECLS | extracorporeal life support | ER | emergency room/department | |
| ECMO | extracorporeal membrane oxygenation | | | |
| | F | | | |
| FFP | fresh frozen plasma | FiO ₂ | fraction of inspired oxygen | |
| FP | frozen plasma | Fr | French (sizes) | |
| | G | | | |
| g or gm | gram | GME | gaseous microemboli | |
| GI | gastrointestinal | GFR | glomerular filtration rate | |
| | | | | |
| | H | | | |
| Hgb or | hemoglobin | HCT | hematocrit | |
| Hb | | | | |
| | | HIT | heparin induced thrombocytopenia | |
| HbF | fetal hemoglobin | HIV | human immunodeficiency virus | |
| Hbmet | methemoglobin | HLHS | hypoplastic left heart syndrome | |
| HCO ₃ - | bicarbonate | HR | heart rate | |
| | | | | |
| IAB | intraaortic balloon | ICU | intensive care unit | |
| IABP | intraaortic balloon pump | iu | international unit | |
| IBW | ideal body weight | INR | international normalized ratio of | |
| | | | prothrombin time | |
| ICD | implantable cardioverter defibrillator | IVC | inferior vena cava | |
| ICP | intracranial pressure | | | |
| | K | | | |
| kg | kilogram | K ⁺ | potassium | |
| | L | | | |
| L | litre | LSPV | left superior pulmonary vein | |
| LAD | left anterior descending artery | LSVC | left superior vena cava | |
| LA | left atrium | LV | left ventricle | |
| LAP | left atrial pressure | LVAD | left ventricular assist device | |
| LAFA | left atrial femoral artery (bypass) | LVEDP | left ventricular end diastolic | |
| LVEF | left ventricular ejection fraction | | pressure | |



| LHB | left heart bypass | LVSV | left ventricular stoke volume |
|------------------|--|------------------|-------------------------------------|
| LPM | litres per minutes | LVSW | left ventricular stroke work |
| | M | | |
| MAC | minimum alveolar concentration | MR | mitral regurgitation |
| MAP | mean arterial pressure | MUF | modified ultrafiltration |
| Mg ⁺⁺ | magnesium | mmol | millimole |
| MV | mitral valve | mL | millilitre |
| MI | myocardial infarction | mg | milligram |
| MIS | minimally invasive surgery | mcg | microgram |
| mEq | milli-equivalent | (µg) | |
| mmHg | millimetres of mercury pressure (torr) | MS | mitral stenosis |
| MVR | mitral valve replacement | MVr | mitral valve repair |
| | N | | |
| Na⁺ | sodium | NO ₂ | nitrogen dioxide |
| NaCl | sodium chloride | N ₂ O | nitrous oxide |
| NaHCO3 | sodium bicarbonate | NS | normal saline |
| NO | nitric oxide | | |
| | 0 | | |
| O ₂ | oxygen | OR | operating room |
| | P | | |
| Р | pressure | PG | prostaglandin |
| P50 | partial pressure of oxygen at 50% HbO2 | рН | standardized hydrogen ion activity |
| PA | pulmonary artery | PRBC | packed red blood cells |
| P(A- | alveolar to arterial oxygen gradient | PT | prothrombin time |
| a)O2 | | | |
| PAC | pulmonary artery catheter | PTT | partial thromboplastin time |
| PAP | pulmonary artery pressure | PV | pulmonary valve |
| PAWP | pulmonary artery wedge pressure | PR | pulmonary regurgitation |
| PCWP | pulmonary capillary wedge pressure | PVC | premature ventricular contraction |
| PDA | patent ductus arteriosus | PVR | pulmonary vascular resistance |
| PEEP | positive end expiratory pressure | PVRI | pulmonary vascular resistance index |
| PFO | patent foramen ovale | | |
| | Q | | |
| Qs/Qt | shunted cardiac output ratio | Qt | total cardiac output |
| | R | | |
| RA | right atrium | RDS | respiratory distress syndrome |
| RAP | retrograde autologous priming | RPM | revolutions per minute |
| RBC | red blood cell | RV | right ventricle |
| RCA | right coronary artery | RVAD | right ventricular assist device |
| | S | | |
| SaO ₂ | arterial oxygen saturation | SVC | superior vena cava |



| STEMI | ST elevation myocardial infarction | SVR | systemic vascular resistance |
|------------------|-------------------------------------|-------|---------------------------------------|
| SvO ₂ | venous oxygen saturation | SVRI | systemic vascular resistance index |
| Т | | | |
| Т | temperature | TPV | total prime volume |
| TGA | transposition of the great arteries | TR | tricuspid regurgitation |
| TEG | thromboelastography | Т | tricuspid valve |
| TMP | transmembrane pressure | TT | thrombin time |
| TOF | tetralogy of fallot | TRALI | Transfusion related acute lung injury |
| TEE | trans-esophageal echocardiogram | TVR | tricuspid valve replacement |
| V | | | |
| V/A | veno-arterial | Vol% | concentration (percent per volume) |
| VAVD | vacuum assisted venous drainage | VSD | ventricular septal defect |
| VO ₂ | oxygen consumption per minute | V/V | V/V veno-venous |
| VAD | ventricular assist device | | |
| W | | | |
| WBC | white blood cell | | |
| Z | | | |
| ZBUF | zero-balance ultrafiltration | | |